* Note: Click on the blue text within \[\] to link to the website for videos and further information.


A. Thermostatic Printing System Taiwan Invention Patent No. I 762245

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

Price based on different models



Pad Printer Thermostatic Printing System

By increasing the ink temperature, the complete ink transfer can be maintained constantly and the printing conditions and quality will not be affected by the external ambient temperature.

Features:

- 1. Control temperature by HMI is simple and easy to operate.
- 2. Accelerate ink evaporation, ensuring excellent ink deposit.
- 3. Improve ink picks.
- 4. Improve ink opacity.
- 5. Increase productivity: Achieve the same results with 1 print instead of the original 2 prints.
- 6. Increase printing quality stability.
- Specification: The voltage should be chosen, 110V or 220V.

B. Magnetic Cliché Fixation Base Taiwan Utility Model Patent No. M648609

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

Price based on different models



Pad Printer with Magnetic Cliché Fixation Base

Electromagnet is applied to magnetic cliché fixation base for fixing printing cliché, providing precise positioning with magnetic attraction. Activate the magnetic attraction after positioning, eliminating the need of screw tightening for a quick and stable setup! This prevents not locking securely or forgetting to lock in the midst of busyness. HMI smart monitoring notifications help minimize wear and tear.



C. Disposable Ink Cup Set Taiwan Utility Model Patent No. M648875

Suitable/Applied for

pad printers equipped with Ø60mm ink cup.

US\$ (EXW)

Disposable Ink Cup \$1/pc
Doctoring Ring \$212/pc
Ink Cup Cover \$135/pc



Disposable Ink Cup US\$1

Pad Printer with Disposable Ink Cup Set

The ink cup is for one-time use and can be thrown away after use. There is no need to wash the ink cup, which saves cleaner. The highlight is the super-easy disassembly-with a simple pull by hand, there is no need for a flathead screwdriver to dismantle the doctoring ring! No need for the use of a sealing ring, but it ensures no ink leakage.





D. Adjustable Cliché Base

Suitable/Applied for

single-color ink cup pad printers (2 cliché insertion orientations, from right-side or from left-side.)

US\$ (EXW)

Price based on different models



Cliché Right-Side Insertion Picture

[Pad Printer with Adjustable Cliché Base]

The direction in front, back, left, and right and angles of the cliché can be adjusted. In addition to adjusting the X-Y platform, the cliché base is also adjustable to achieve the perfect printing result. It can even be used for color registration to fine tune the printing position. FineCause multicolor pad printing machines are all equipped with adjustable cliché bases, and it is also available as an optional accessory for single-color machines.

E. Thin Cliché Base

Suitable/Applied for

all series of pad printing machines (2 cliché insertion orientations, from right-side or from left-side.)

US\$ (EXW)

Price based on different models



Upper – Thin Cliché / Lower – Thin Cliché Base

Pad Printer with Thin Cliché Base

If the demand for small quantities and diverse printing is high and the cliché need to be replaced frequently, thin cliché is the most economical and affordable choice. The plate fee is only half the price of the regular thick plate

Integrity, Kindness, Humility, Professionalism, Diligence And Pragmatism

F. Safety Door Device

Suitable/Applied for

pad printer FC-161ANC and FC-191ANC

US\$ (EXW)

\$225/set



Pad Printer with Safety Door Device

The pad printing machine equipped with a sensor safety door device can prevent the hand from accidentally reaching into the printing machine in operation, which will reduce the accidents occurring probability and reduce the adhesion of dust during printing.

Features:

- 1. Adopt full extension drawer slide, which does not occupy the space.
- 2. Acrylic side door safety device can block wind and dust.
- 3. Without letting external factors affect ink volatilization ratio so that the printing effect is more stable.
- 4. Sensor safety device will let the machine stop immediately when the door is opened.

G. Pad Cleaning Mechanism

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

Price based on different models



Pad Printer with Pad Cleaning Mechanism

With automatic pad cleaning (residual ink removal) function, the pad cleaning process will be done automatically after printing. Can be set to remove residual ink (clean pad) after a specific number of prints and the cleaning times can be set as well. Even the invisible dust can be eliminated to ensure a perfect print every time.



H. Cross Red Light Laser Pointer

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

\$275/set

Pad Printer with Cross Red Light Laser Pointer

Conveniently and quickly position and do printing according to the place where the infrared ray is irradiated.







Hair Dryer Holder Set/Hair Dryer Holder (Retractable) < Hair dryer is not included. >

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

Hair Dryer Holder Set: \$34/set Hair Dryer Holder (Retractable): \$45/set

Pad Printer with Special Hair Dryer Holder

According to the ink characteristics, it may be necessary to use a hair dryer as an auxiliary to partially dry the ink on the printing pad. The dedicated hair dryer holder for the pad printer provides a convenient placement for the hair dryer with easy adjustment of drying positioning.





Hair Dryer Holder (Retractable)

Magnetic Storage Organizer Set: Storage Box / Solvent Holder / Tape Hanger

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

Storage Box: \$88/pc Solvent Holder: \$26/pc Tape Hanger: \$15/pc

Pad Printer with Magnetic Storage Organizer Set

A great helper for printing machines, with super strong magnetic attraction for instant and secure attachment. The storage organizer set keeps everything neatly organized, making it easy to grab tools. The dividers in the storage box can be moved freely, allowing for personalized configurations based on individual preferences for convenient access.

Magnetic Storage Organizer Set








Solvent Holder US\$26



Tape Hanger US\$15



Integrity, Kindness, Humility, Professionalism, Diligence And Pragmatism



K. Rotating Mechanism / Servo Rotating Mechanism

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

Price based on different models



Rotating Mechanism or Servo Rotating Mechanism

During printing, only 1 jig is needed to print different positions. There is no need to manually turn over the object and do alignment again, enhancing efficiency and speeding up the printing process.

Rotating Mechanism-Pneumatic Cylinder:

The adjustable angle is 145~240 degrees, with the ability to rotate up to 360 degrees by replacing the cylinder.

Rotating Mechanism-Servo:

The jig angle can be fine-tuned at will to accommodate the printing angle of object, enabling multi-angle and multi-position printing.

L. Hot Air Device (Air Blower or Vacuum Pump)

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

Price based on different models

Pad Printer with Hot Air Blower

Improve the ink drying speed on objects.





M. Vacuum Suction Device

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

Price based on different models



[Pad Printer with Vacuum Suction Device]

Used for securing thin objects, thin glass plates, etc., to prevent object displacement or sticking to the screen stencil during printing.



N. Air Suction Device (Air Blower or Vacuum Pump)

Suitable/Applied for

all series of pad printing machines


US\$ (EXW)

Price based on different models (different HP, different price)



Pad Printer with Air Blower plus Air Suction Jig

Used for securing thin objects, thin glass plates, etc., to prevent object displacement or sticking to the screen stencil





O. A018001 Photoelectric Sensor Automatic Blower/ A018003 + Side-Mounted Magnetic Attraction Type

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

\$225/set (w/o side-mounted) \$265/set (w/ side-mounted)





Pad Printer with Photoelectric Sensor Automatic Blower

Inductive nozzle – utilize photoelectric sensors to automatically blows air when detecting objects in close proximity. The side-mounted magnetic attraction type can be is also available, facilitating convenient assembly and disassembly. It is the ideal complement of pad printing machine, screen printing machine, and other printing machine.

Specification: Voltage - 110V

P. A018002 Photoelectric Sensor Automatic Blower <Anti-Static Type> / A018004 + Side-Mounted Magnetic Attraction Type

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

\$655/set (w/o side-mounted) \$695/set (w/ side-mounted)





Anti-Static Photoelectric Sensor Automatic Blower

Use an anti-static device to remove dust. A dedicated blowing tube is applied for optimal static elimination effectiveness. The side-mounted magnetic attraction type can be is also available, facilitating convenient assembly and disassembly. It is the ideal complement of pad printing machine, screen printing machine, and other printing machine.

Specification: Voltage - 110V

Q. Small Indexing Table

Suitable/Applied for

all series of pad printing machines

US\$ (EXW)

Price based on different models





Pad Printer with Small Indexing Table

Simultaneously load object by personnel while the machine performs printing action increases printing productivity.

Integrity, Kindness, Humility, Professionalism, Diligence And Pragmatism